

Ch 5.1.1-2: Leave One Out Cross-validation

Lecture 12 - CMSE 381

Prof. Lianzhang Bao

Michigan State University

::

Dept of Computational Mathematics, Science & Engineering

Fri, Feb 14, 2025

Announcements

Last time:

- Exam

Announcements:

- Exam 1 grades.... hopefully soon
- HW #4 will be posted soon.

12	F	2/14	Leave one out CV	5.1.1, 5.1.2			
13	M	2/17	k-fold CV	5.1.3		Q5	
14	W	2/19	More k-fold CV	5.1.4-5			
15	F	2/21	k-fold CV for classification	5.1.5			
16	M	2/24	Subset selection	6.1			
17	W	2/26	Shrinkage: Ridge	6.2.1			
18	F	2/28	Shrinkage: Lasso	6.2.2	HW #4 Due Sun 3/2		
	M	3/3	Spring Break				
	W	3/5	Spring Break				
	F	3/7	Spring Break				
19	M	3/10	PCA	6.3			
20	W	3/12	PCR	6.3		Q6	
	F	3/14	Review		HW #5 Due Sun 3/16		
	M	3/17	Midterm #2				

Covered in this lecture

- Validation Set
- LOO CV

Section 1

Validation set

What's the problem?



- How well is my ML method doing? *Model Assessment*
- Which method is best for our data?
- How many features should I use? Which ones? *Model selection*
- What is the uncertainty in the learned parameters?

Training Error vs Testing Error


Training Error

Testing Error


Throw-back Monday



Model tradeoffs




Validation set approach



- Divide randomly into two parts:
 - ▶ Training set
 - ▶ Validation/Hold-out/Testing set
- Fit model on training set
- Use fitted model to predict response for observations in the test set
- Evaluate quality (e.g. MSE)


Example with the auto data




Predicting mpg using horsepower:

$$\text{mpg} = \beta_0 + \beta_1 \text{hp} + \beta_2 \text{hp}^2 + \cdots + \beta_p \text{hp}^p$$

Rinse and repeat



Again example with auto data




Coding example in jupyter notebook

Section 2

Leave-One-Out Cross-Validation (LOOCV)

The idea



The idea in mathy words

- Remove (x_1, y_1) for testing.
- Train the model on $n - 1$ points:
 $\{(x_2, y_2), \dots, (x_n, y_n)\}$
- Calculate $\text{MSE}_1 = (y_1 - \hat{y}_1)^2$


- Remove (x_2, y_2) for testing.
- Train the model on $n - 1$ points:
 $\{(x_1, y_1), (x_3, y_3), \dots, (x_n, y_n)\}$
- Calculate $\text{MSE}_2 = (y_2 - \hat{y}_2)^2$

- Rinse and repeat

Return the score:

$$CV_{(n)} = \frac{1}{n} \sum_{i=1}^n \text{MSE}_i$$

Again example with auto data




Do the LOOCV coding section

LOOCV Pros and Cons

Advantages:

Disadvantages:

Validation set



LOO-CV



LOO-CV Score

$$CV_{(n)} = \frac{1}{n} \sum_{i=1}^n \text{MSE}_i$$

Next time

12	F	2/14	Leave one out CV	5.1.1, 5.1.2		
13	M	2/17	k-fold CV	5.1.3		Q5
14	W	2/19	More k-fold CV	5.1.4-5		
15	F	2/21	k-fold CV for classification	5.1.5		
16	M	2/24	Subset selection	6.1		
17	W	2/26	Shrinkage: Ridge	6.2.1		
18	F	2/28	Shrinkage: Lasso	6.2.2	HW #4 Due Sun 3/2	
	M	3/3	Spring Break			
	W	3/5	Spring Break			
	F	3/7	Spring Break			
19	M	3/10	PCA	6.3		Q6
20	W	3/12	PCR	6.3		
	F	3/14	Review		HW #5 Due Sun 3/16	
	M	3/17	Midterm #2			